

Experiment Proposal

Experiment number GP2024013

Principal investigator (*) Dr Francesco Saliu, Università; Milano Bicocca, ITALY
Co-investigator Dr Massimiliano Clemenza, INFN, ITALY
Co-investigator Dr Giovanni Romanelli, University of Rome Tor Vergata, ITALY

Co-investigator
Co-investigator
Co-investigator
Co-investigator
Co-investigator
Co-investigator
Co-investigator
Co-investigator
Experiment title

Continuation of Nanofibers from textiles: determining photo-degradation induced physicochemical modification of natural and synthetic fibers surface by AFM-RAMAN

MRF Instrument
Access Route
Science Areas
Sponsored Grant
Grant Title
Start Date
Similar Submission?
Industrial Links
Non-Technical Abstract

AFM Raman

Direct Access

Environment

None

-

-

-

-

Nowaday Microfibers (MFs) pollution is widespread. Textile washing has been identified as the major source. However, the identification of the factors that influence the MFs release from textiles is underway. Moreover, MFs negative effects on living organisms has been less studied than those associated with spherical particles and very few research has focused on submicrometric fibers (NFs). This may accounted as a significant knowledge gap. The research aim to define the chemo-physical process causing microfiber and nanofiber release, identify the main modification occurring on the fiber surface and suggest technical solution to limit their environmental impacts. The present proposal represent the second stage of experiments of a previous proposal. The MRF instrumentation will be used for the identification of the key chemo-physical modification induced by photo-degradation leading to NFs release

Days requested: 3

Previous GP Number: GP2023074

DOI: -

Sponsor: -

Grant Number: -

Finish Date: -

Publications

-

ISIS neutron and muon source

E-platform: No

Instruments
Access Route
Science Areas
Sponsored Grant
Grant Title
Start Date
Similar Submission?
Industrial Links

Days Requested:
Previous RB Number:
DOI:
Sponsor:
Grant Number:
Finish Date:



Sample record sheet

Principal contact Dr Francesco Saliu, Università; Milano Bicocca, ITALY
MRF Instrument **AFM Raman** **Days Requested: 3**
Special requirements:

SAMPLE

Material	polymeric microfibers (cellulose, polyethylene, polyester subjected to artificial weathering) deposited on a glass slide (or we can provide colloidal solution to be dispersed on the stub)	cellulose nanofibrillated	Photoaged PET fibers
Formula	C _x H _x O _x (polypropylene with unknow degree of surficial oxidation)	C _n H _n O _n nanofibrillated cellulose with unknow degree of photo-degradation	C _n H _n O _n PET with unknow degree of surface oxidation
Forms	Solid	Solid	Solid
Volume	cc	cc	cc
Weight	50 mg	100 mg	100 mg
Container or substrate	samples can be provided dispersed as colloidal solution in a glass vial or deposited onto a glass slide or onto the required stab	-	-
Storage Requirements	-	-	-

SAMPLE ENVIROMENT

Temperature Range	290 - 310 K	290 - 320 K	- K
Pressure Range	- mbar	- mbar	- mbar
Magnetic field range	- T	- T	- T
Standard equipment	Sample Changer	-	-
Special equipment	-	-	-

SAFETY

Prep lab needed	No	Yes	Yes
Sample Prep Hazards	-	-	-
Special equip. reqs	-	-	-
Sensitivity to air	No	No	No
Sensitivity to vapour	No	No	No
Experiment Hazards	no	-	-
Equipment Hazards	-	-	-
Biological hazards	no	-	-
Radioactive Hazards	no	-	-
Additional Hazards	-	-	-
Additional Details	-	-	-
Sample will be	Removed By User	Disposed by IS	Disposed by IS



Continuation of Nanofibers from textiles: determining photo-degradation induced physicochemical modification of natural and synthetic fibers surface by AFM-RAMAN

Background and Context

Recent environmental research highlighted how microfibers (MFs) are widespread in the environment, from subsurface oceanic seawater to the deep sea, from the atmosphere to the living organism (Suaria et al 2020). Textile washing has been identified as the major source of MFs. However, the identification of the factors that influence the MFs release from textiles is underway (Saliu et al. 2021). Moreover, the negative effects of MFs on living organisms have been less studied than those associated with spherical particles and very little research has focused on submicrometric fibers (NFs). This may be accounted as a significant knowledge gap in the current literature. The research carried out by the Environmental Chemistry research group at the University of Milano Bicocca aims to define under laboratory conditions the chemo-physical process causing microfiber and nanofiber release and identify the main modification occurring on the fiber surface caused by weathering. Moreover, a model to understand fragment aggregation in water is required. The information collected through the experiment may help in understanding MFs environmental fate and impacts. The material submitted to the MRF facility were previously submitted to artificial weathering under laboratory-controlled conditions to mimic different environmental stresses and were characterized by employing a wide range of analytical techniques but AFM-Raman. The research is currently financed by University of Milano-Bicocca funds (FAR and MUSA) and involves several international collaborations (University of Stockholm, University of South Carolina, CNR-ISMAR, University of Foggia)

Proposed Experiment

The AFM-RAMAN MRF instrumentation will be used to add new information regarding the photodegradation mechanism of fibers in textiles through the identification of the key surface chemo-physical modification, directly on the nanofiber surface. Specifically, it is requested the chemical characterization of the surface of polypropylene nanofiber obtained after photodegradation under Xenon lamp with a focus on the recognition of the degree of oxidation and the identification of the main functional groups originated by the chemical photo-oxidation, concerning the nanofiber morphology (e.g., cracks and pitches). AFM and Raman spectroscopy have been used to characterize plastic particles with sizes < 100 nm (Fang et al., 2020, Stawikowska and Livingston, 2013). Compared with SEM, AFM can characterize particles more comprehensively (Fu et al., 2020). Coupling Raman spectroscopy affords the nanoscale chemical description of the sample surfaces (Fu and Zhang, 2017). To date, only a few studies applied hybrid AFM techniques (AFM/IR or AFM/Raman) to detect and characterize nano plastics, and no NFs.

Summary of previous instrument time or characterization

Materials to be submitted to the AFM-Raman analysis were already preliminarily characterized by FTIR and Raman, photo-aged, characterized by SEM, DLS, and Mass Spectrometry, and toxicological assayed with different biological models. Moreover on the first round of the proposal the MRR- facilities has already provided interesting results regarding the NPs characterization and the proposal is renewed for additional 3 days of analysis and completion of the survey on different NPs materials

Justification of instrument time request

The request is for 3 days of the AFM-RAMAN instrument time needed for the collection of a statistically significant number of Raman signals taken from different collection points. The aim is to characterize the main chemical modification of the material induced by photo-degradation. We assume, after the first round of experiments, about 1 hour for set-up of the experimental parameters for the new materials, and, up-to 1.5 hours per sample



measurement, and an overall number of 10 samples (from 3 different polymeric materials). These measurements should be divided between the 3 days requested.




Figure 1. Representative characterization of NFs and NPs obtained from the previous access to the AFM-Raman MRF related to the proposed experiment.

References

- G. Suaria et al. Microfibers in oceanic surface waters: A global characterization. *Sci Adv.* 23, (2020):
- F. Saliu et al. The release process of microfibers: from surgical face masks into the marine environment. *Environ. Adv.* 4 (2021)
- C. Fang, et al. Identification and visualisation of microplastics/ nanoplastics by Raman imaging :smaller than the diffraction limit of laser? *Water Res.* (2020), p. 183
- W. Fu, W. Zhang Hybrid AFM for nanoscale physicochemical characterization: recent development and emerging applications *Small*, 13 (2017)
- J. Stawikowska, A.G. Livingston Assessment of atomic force microscopy for characterisation of nanofiltration membranes *J. Membr. Sci.*, 425 (2013), pp. 58-70

